CONTENTS

PART 1 JULY 2004

PUTIGNANI, L., TAIT, A., SMITH, H. V., HORNER, D., TOVAR, J., TETLEY, L. and WASTLING, J. M. Characterization of a mitochondrion-like organelle in *Cryptosporidium parvum* 1

OLIVOS-GARCÍA, A., TELLO, E., NEQUIZ-AVENDAÑO, M., GONZÁLEZ-CANTO, A., LÓPEZ-VANCELL, R., GARCÍA DE LEÓN, M. C., MONTFORT, I. and PÉREZ-TAMAYO, R. Cysteine proteinase activity is required for survival of the parasite in experimental acute amoebic liver abscesses in hamsters 19

OURA, C. A. L., BISHOP, R., WAMPANDE, E. M., LUBEGA, G. W. and TAIT, A. The persistence of component *Theileria parva* stocks in cattle immunized with the 'Muguga cocktail' live vaccine against East Coast fever in Uganda 27

KRISHNAMOORTHY, K., SUBRAMANIAN, S., VAN OORTMARSSEN, G. J., HABBEMA, J. D. F. and DAS, P. K. Vector survival and parasite infection: the effect of *Wuchereria bancrofti* on its vector *Culex quinquefasciatus* 43

FARIA-PINTO, P., MEIRELLES, M. N. L., LENZI, H. L., MOTA, E. M., PENIDO, M. L. O., COELHO, P. M. Z. and VASCONCELOS, E. G. ATP diphosphohydrolase from *Schistosoma mansoni* egg: characterization and immunocytochemical localization of a new antigen 51

VALERA, F., HOI, H., DAROLOVÁ, A. and KRISTOFIK, J. Size versus health as a cue for host choice: a test of the tasty chick hypothesis 59

PAOLINI, V., FOURASTE, I. and HOSTE, H. *In vitro* effects of three woody plant and sainfoin extracts on 3rd-stage larvae and adult worms of three gastrointestinal nematodes 69

MARÍN, C., RODRÍQUEZ-GONZÁLEZ, I., HITOS, A. B., ROSALES, M. J., DOLLET, M. and SÁNCHEZ-MORENO, M. Purification and charcterization of two iron superoxide dismutases of *Phytomonas* sp. isolated from *Euphorbia characias* (plant trypanosomatids) 79

KARVONEN, A., KIRSI, S., HUDSON, P. J. and VALTONEN, E. T. Patterns of cercarial production from *Diplostomum spathaceum*: terminal investment or bet hedging? 87

SCHWARZENBACH, G. A., HEGGLIN, D., STIEGER, C., DEPLAZES, P. and WARD, P. I. An experimental field approach to parasitism and immune defence in voles 93

CALVETE, C., BLANCO-AGUIAR, J. A., VIRGÓS, E., CABEZAS-DÍAZ, S. and VILLAFUERTE, R. Spatial variation in helminth community structure in the red-legged partridge (*Alectoris rufa* L.): effects of definitive host density 101

JOHNSON, D. A., BEHNKE, J. M. and COLES, G. C. Copro-antigen capture ELISA for the detection of *Teladorsagia* (*Ostertagia*) *circumcincta* in sheep: improvement of specificity by heat treatment 115

PART 2 AUGUST 2004

SINGH, D., NAIK, S. R. and NAIK, S. Role of cysteine proteinase of *Entamoeba histolytica* in target cell death 127

MENDONÇA-SILVA, D. L., GARDINO, P. F., KUBRUSLY, R. C. C., DE MELLO, F. G. and NOËL, F. Characterization of a GABAergic neurotransmission in adult *Schistosoma mansoni* 137

SCHMID-HEMPEL, P. and REBER FUNK, C. The distribution of genotypes of the trypanosome parasite, *Crithidia bombi*, in populations of its host, *Bombus terrestris* 147

KARVONEN, A., SEPPÄLÄ, O. and VALTONEN, E. T. Parasite resistance and avoidance behaviour in preventing eye fluke infections in fish 159

PODVYAZNAYA, I. M., GALAKTIONOV, K. V. and IRWIN, S. W. B. An ultrastructural study of excretory system development in the cercariae of *Prosorhynchoides gracilescens* (Rudolphi, 1819) and *Prosorhynchus squamatus* Odhner, 1905 (Digenea, Bucephalidae) 165

CRIBB, B. W., ARMSTRONG, W. D. and WHITTINGTON, I. D. Mechanism of adhesion and detachment at the anterior end of *Merizocotyle icopae* (Monogenea: Monocotylidae) including ultrastructure of the anterior adhesive matrix 181

VILAS, R., SANMARTÍN, M. L. and PANIAGUA, E. Genetic variability of natural populations of trematodes of the genus *Lecithochirium* parasites of eels 191

NORTON, J., LEWIS, J. W. and ROLLINSON, D. Temporal and spatial patterns of nestedness in eel macroparasite communities 203

MES, T. H. M. and CORNELISSEN, A. W. C. A. Non-homogenized ITS regions in the parasitic nematode *Cooperia onchophora* 213

MORAES, L. R. S. and CAIRNCROSS, S. Environmental interventions and the pattern of geohelminth infections in Salvador, Brazil 223

MORALES-MONTOR, J., ESCOBEDO, G., RODRIGUEZ-DORANTES, M., TÉLLEZ-ASCENCIO, N., CERBÓN, M. A. and LARRALDE, C. Differential expression of AP-1 transcription factor genes *c-fos* and *c-jun* in the helminth parasites *Taenia crassiceps* and *Taenia solium* 233

GITHIORI, J. B., HÖGLUND, J., WALLER, P. J. and BAKER, R. L. Evaluation of anthelmintic properties of some plants used as livestock dewormers against *Haemonchus contortus* infections in sheep 245

PART 3 SEPTEMBER 2004

SOWUNMI, A., FATEYE, B. A., ADEDEJI, A. A., FEHINTOLA, F. A. and HAPPI, T. C. Risk factors for gametocyte carriage in uncomplicated falciparum malaria in children 255

CREASEY, A., GIHA, H., HAMAD, A. A., EI HASSAN, I. M., THEANDER, T. G. and ARNOT, D. E. Eleven years of malaria surveillance in a Sudanese village highlights unexpected variation in individual disease susceptibility and outbreak severity 263

MARGOS, G., BANNISTER, L. H., DLUZEWSKI, A. R., HOPKINS, J., WILLIAMS, I. T. and MITCHELL, G. H. Correlation of structural development and differential expression of invasion-related molecules in schizonts of *Plasmodium falciparum* 273

SMITH, T., DIETZ, K., VOUNATSOU, P., MÜLLER, I., ENGLISH, M. and MARSH, K. Bayesian age-stage modelling of *Plasmodium falciparum* sequestered parasite loads in severe malaria patients 289

SCHARES, G., BÄRWALD, A., STAUBACH, C., ZILLER, M., KLÖSS, D., SCHRÖDER, R., LABOHM, R., DRÄGER, K., FASEN, W., HESS, R. G. and CONRATHS, F. J. Potential risk factors for bovine. *Neospora caninum* infection in Germany are not under the control of the farmers 301

GUPTA, R., BAJPAI, P., TRIPATHI, L. M., SRIVASTAVA, V. M. L., JAIN, S. K. and MISRA-BHATTACHARYA, S. Macrophages in the development of protective immunity against experimental *Brugia malayi* infection 311

NEPOMUCENO-SILVA, J. L., DE MELO, L. D. B., MENDONÇA, S. M., PAIXÃO, J. C. and LOPES, U. G. Characterization of *Trypanosoma cruzi TcRjl* locus and analysis of its transcript 325

SPARKES, T. C., WRIGHT, V. M., RENWICK, D. T., WEIL, K. A., TALKINGTON, J. A. and MILHALYOV, M. Intra-specific host sharing in the manipulative parasite *Acanthocephalus dirus*: does conflict occur over host modification? 335

O'MAHONY, E. M., BRADLEY, D. G., KENNEDY, C. R. and HOLLAND, C. V. Evidence for the hypothesis of strain formation in *Pomphorhynchus laevis* (Acanthocephala): an investigation using mitochondrial DNA sequences 341

VICENTE, J., FIERRO, Y., MARTÍNEZ, M. and GORTÁZAR, C. Long-term epidemiology, effect on body condition and interspecific interactions of concomitant infection by nasopharyngeal bot fly larvae (*Cephenemyia auribarbis* and *Pharyngomyia picta*, Oestridae) in a population of Iberian red deer (*Cervus elaphus hispanicus*) 349

STEAR, M. J., BAIRDEN, K., INNOCENT, G. T., MITCHELL, S., STRAIN, S. and BISHOP, S. C. The relationship between IgA activity against 4th-stage larvae and density-dependent effects on the number of 4th-stage larvae of *Teladorsagia circumcincta* in naturally infected sheep 363

CARMENA, D., MARTÍNEZ, J., BENITO, A. and GUISANTES, J. A. Characterization of excretory–secretory products from protoscoleces of *Echinococcus granulosus* and evaluation of their potential for immunodiagnosis of human cystic echinococcosis 371

BEHNKE, J. M., HARRIS, P. D., BAJER, A., BARNARD, C. J., SHERIF, N., CLIFFE, L., HURST, J., LAMB, M., RHODES, A., JAMES, M., CLIFFORD, S., GILBERT, F. S. and ZALAT, S. Variation in the helminth community structure in spiny mice (*Acomys dimidiatus*) from four montane wadis in the St Katherine region of the Sinai Peninsula in Egypt 379

BOOK REVIEW 362
CORRIGENDUM 370

PART 4 OCTOBER 2004

JAMJOOM, M. B., ASHFORD, R. W., BATES, P. A., CHANCE, M. L., KEMP, S. J., WATTS, P. C. and NOYES, H. A. *Leishmania donovani* is the only cause of visceral leishmaniasis in East Africa; previous descriptions of *L. infantum* and "*L. archibaldi*" from this region are a consequence of convergent evolution in the isoenzyme data 399

LÓPEZ-FLORES, I., DE LA HERRÁN, R., GARRIDO-RAMOS, M. A., NAVAS, J. I., RUIZ-REJÓN, C. and RUIZ-REJÓN, M. The molecular diagnosis of *Marteilia refringens* and differentiation between *Marteilia* strains infecting oysters and mussels based on the rDNA IGS sequence 411

SHANT, J., GHOSH, S., BHATTACHARYYA, S., GANGULY, N. K. and MAJUMDAR, S. The alteration in signal transduction parameters induced by the excretory–secretory product from *Giardia lamblia* 421

FIGUEIREDO, R. C. B. Q., ROSA, D. S., GOMES, Y. M., NAKASAWA, M. and SOARES, M. J. Reservosome: an endocytic compartment in epimastigote forms of the protozoan *Trypanosoma cruzi* (Kinetoplastida: Trypanosomatidae). Correlation between endocytosis of nutrients and cell differentiation 431

GUTIERREZ, R., ANGULO, V. M., TARAZONA, Z., BRITTO, C. and FERNANDES, O. Comparison of four serological tests for the diagnosis of Chagas disease in a Colombian endemic area 439

TURNER, C. M. R., MCLELLAN, S., LINDERGARD, L. A. G., BISONI, L., TAIT, A. and MACLEOD, A. Human infectivity trait in *Trypanosoma brucei*: stability, heritability and relationship to *sra* expression 445

THUWAJIT, C., THUWAJIT, P., KAEWKES, S., SRIPA, B., UCHIDA, K., MIWA, M. and WONGKHAM, S. Increased cell proliferation of mouse fibroblast NIH-3T3 *in vitro* induced by excretory/secretory product(s) from *Opisthorchis viverrini* 455

IRWIN, J. A., MORRISSEY, P. E. W., RYAN, J. P., WALSHE, A., O'NEILL, S. M., CARRINGTON, S. D., MATTHEWS, E., FITZPATRICK, E., MULCAHY, G., CORFIELD, A. P. and DALTON, J. P. Glycosidase activity in the excretory–secretory products of the liver fluke, *Fasciola hepatica* 465

KARVONEN, A., SEPPÄLÄ, O. and VALTONEN, E. T. Eye fluke-induced cataract formation in fish: quantitative analysis using an ophthalmological microscope 473

COTTE, P. A., NISBET, A. J., BOAG, P. R., LARSEN, M. and GASSER, R. B. Characterization of major sperm protein genes and their expression in *Oesophagostomum dentatum* (Nematoda: Strongylida) 479

KNOPF, K. and MAHNKE, M. Differences in susceptibility of the European eel (*Anguilla anguilla*) and the Japanese eel (*Anguilla japonica*) to the swim-bladder nematode *Anguillicola crassus* 491

COLEBROOK, A. L., JENKINS, D. J., JONES, M. K., TATARCZUCH, L. and LIGHTOWLERS, M. W. Effect of cyclosporin A on the survival and ultrastructure of *Echinococcus granulosus* protoscoleces *in vitro* 497

MORAND, S., GOÜY DE BELLOCQ, J., STANKO, M. and MIKLISOVÁ, D. Is sex-biased ectoparasitism related to sexual size dimorphism in small mammals of Central Europe? 505

PART 5 NOVEMBER 2004

REVIEW ARTICLE

KRUNGKRAI, J. The multiple roles of the mitochondrion of the malarial parasite 511

HOUT, S., AZAS, N., DARQUE, A., ROBIN, M., DI GIORGIO, C., GASQUET, M., GALY, J. and TIMON-DAVID, P. Activity of benzothiazoles and chemical derivatives on *Plasmodium falciparum* 525

WESTENBERGER, S. J., STURM, N. R., YANEGA, D., PODLIPAEV, S. A., ZELEDÓN, R., CAMPBELL, D. A. and MASLOV, D. A. Trypanosomatid biodiversity in Costa Rica: genotyping of parasites from Heteroptera using the spliced leader RNA gene 537

MAIA DA SILVA, F., NOYES, H., CAMPANER, M., JUNQUEIRA, A. C. V., COURA, J. R., AÑEZ, N., SHAW, J. J., STEVENS, J. R. and TEIXEIRA, M. M. G. Phylogeny, taxonomy and grouping of *Trypanosoma rangeli* isolates from man, triatomines and sylvatic mammals from widespread geographical origin based on SSU and ITS ribosomal sequences 549

PEREIRA, V. R. A., LORENA, V. M. B., GALVAO DA SILVA, A. P., COUTINHO, E. M., SILVA, E. D., FERREIRA, A. G. P., MIRANDA, P., KRIEGER, M. A., GOLDENBERG, S., SOARES, M. B. P., CORREA-OLIVEIRA, R. and GOMES, Y. M. Immunization with cytoplasmic repetitive antigen and flagellar repetitive antigen of *Trypanosoma cruzi* stimulates a cellular immune response in mice 563

THERON, A., SIRE, C., ROGNON, A., PRUGNOLLE, F. and DURAND, P. Molecular ecology of *Schistosoma mansoni* transmission inferred from the genetic composition of larval and adult infrapopulations within intermediate and definitive hosts 571

RAM, D., ZIV, E., LANTNER, F., LARDANS, V. and SCHECHTER, I. Stage-specific alternative splicing of the heat-shock transcription factor during the life-cycle of *Schistosoma mansoni* 587

TECHAU, M. E., JOHANSEN, M. V., LIND, P. and ORNBJERG, N. The effect of colostrum on pigs pre-natally or post-natally exposed to *Schistosoma japonicum* 597

STOLK, W. A., RAMAIAH, K. D., VANOORT MARSSEN, G. J., DAS, P. K., HABBEMA, J. D. F. and DE VLAS, S. J. Meta-analysis of age-prevalence patterns in lymphatic filariasis: no decline in microfilaraemia prevalence in older age groups as predicted by models with acquired immunity 605

PION, S. D. S., GARDON, J., KAMGNO, J., GARDON-WENDEL, N., CHIPPAUX, J. P. and BOUSSINESQ, M. Structure of the microfilarial reservoir of *Loa loa* in the human host and its implications for monitoring the programmes of Community-Directed Treatment with Ivermectin carried out in Africa 613

OTRANTO, D., LIA, R. P., BUONO, V., TRAVERSA, D. and GIANGASPERO, A. Biology of *Thelazia callipaeda* (Spirurida, Thelaziidae) eyeworms in naturally infected definitive hosts 627

VALTONEN, E. T., HELLE, E. and POULIN, R. Stability of *Corynosoma* populations with fluctuating population densities of the seal definitive host 635

LORENZI, M. C., CERVO, R., ZACCHI, F., TURILLAZZI, S. and BAGNÈRES, A.-G. Dynamics of chemical mimicry in the social parasite wasp *Polistes semenowi* (Hymenoptera: Vespidae) 643

BOOK REVIEW 653

PART 6 DECEMBER 2004

REVIEW ARTICLE

HOUSTON, K. M. and HARNETT, W. Structure and synthesis of nematode phosphorylcholine-containing glycoconjugates 655

BATON, L. A. and RANFORD-CARTWRIGHT, L. C. *Plasmodium falciparum* ookinete invasion of the midgut epithelium of *Anopheles stephensi* is consistent with the Time Bomb model 663

LECLERC, M. C., HUGOT, J. P., DURAND, P. and RENAUD, F. Evolutionary relationships between 15 *Plasmodium* species from New and Old World primates (including humans): an 18S rDNA cladistic analysis 677

GARG, RAVENDRA, SINGH, NIRPENDRA and DUBE, ANURADHA. Intake of nutrient supplements affects multiplication of *Leishmania donovani* in hamsters 685

JAMONNEAU, V., RAVEL, S., KOFFI, M., KABA, D., ZEZE, D. G., NDRI, L., SANE, B., COULIBALY, B., CUNY, G. and SOLANO, P. Mixed infections of trypanosomes in tsetse and pigs and their epidemiological significance in a sleeping sickness focus of Côte d'Ivoire 693

LISBOA, C. V., MANGIA, R. H., DE LIMA, N. R. Ç., MARTINS, A., DIETZ, J., BAKER, A. J., RAMON-MIRANDA, C. R., FERREIRA, L. F., FERNANDES, O. and JANSEN, A. M. Distinct patterns of *Trypanosoma cruzi* infection in *Leontopithecus rosalia* in distinct Atlantic Coastal Rainforest fragments in Rio de Janeiro-Brazil 703

YUN, D.-H., BAE, Y.-A., CHUNG, J.-Y., KANG, S.-Y., KANG, I., SOHN, W.-M., CHO, S.-H., KIM, T.-S., CHO, S.-Y. and KONG, Y. A 78 kDa glucose-regulated protein gene of *Spirometra erinacei* plerocercoid induced by chemical and physiological stresses 713

EHMAN, K. D. and SCOTT, M. E. Microsatellite analysis reveals that female mice are indiscriminate when choosing infected or dominant males in an arena setting 723

TRAVERSA, D., GIANGASPERO, A., IORIO, R., OTRANTO, D., PAOLETTI, B. and GASSER, R. B. Semi-nested PCR for the specific detection of *Habronema microstoma* or *Habronema muscae* DNA in horse faeces 733

NJUE, A. I. and PRICHARD, R. K. Genetic variability of glutamate-gated chloride channel genes in ivermectin-susceptible and -resistant strains of *Cooperia oncophora* 741

NOLAN, T. J., BRENES, M., ASHTON, F. T., ZHU, X., FORBES, W. M., BOSTON, R. and SCHAD, G. A. The amphidial neuron pair ALD controls the temperature-sensitive choice of alternative developmental pathways in the parasitic nematode, *Strongyloides stercoralis* 753

ONDRAČKOVÁ, M., ŠIMKOVÁ, A., GELNAR, M. and JURAJDA, P. *Posthodiplostomum cuticola* (Digenea: Diplostomatidae) in intermediate fish hosts: factors contributing to the parasite infection and prey selection by the definitive bird host 761

PETKEVIČIŪTĖ, R., STUNŽĖNAS, V. and STANEVIČIŪTĖ, G. Cytogenetic and sequence comparison of adult *Phyllodistomum* (Digenea: Gorgoderidae) from the three-spined stickleback with larvae from two bivalves 771

KUMAR, D., WHITE, C., FAIRWEATHER, I. and McGEOWN, J. G. Electrophysiological and pharmacological characterization of K^+-currents in muscle fibres isolated from the ventral sucker of *Fasciola hepatica* 779